

Emma Steele

EndoNeeds




Exploring the physical, psychological and social needs of women with endometriosis



Endometriosis

- Chronic gynaecological condition
- 5-10% population prevalence¹




Symptoms:

Pain


Infertility


Diagnostic delay

Up to 10 years to diagnosis



Diagnostic Relationships delay **Symptoms:** Sexuality Pain Infertility





Diagnostic delay

Relationships

Normalisation

Symptoms:


Sexuality

Treatment & recurrence


Pain


Infertility

Social isolation



Chen L et al. J Affect Disord. 2016; 190:282-5





Simoens S et al. Human Reproduction. 2012; 27(5):1292–1299

Patient Reported Outcome:

"a report on the status of a patient's health condition that comes directly from the patient, without the interpretation of the patient's response by a clinician or anyone else." 1

Unmet Need:

"the requirement of some action or resource that is necessary, desirable or useful to obtain optimal wellbeing."²

^{1.} FDA. Guidance for industry: patient-reported outcome measures: use in medical product development to support labelling claims. 2009; 74(235):65132-3

^{2.} Sanson-Fisher R et al. The unmet supportive care needs of patients with cancer. Cancer. 2008:88(1):226-37

- PROMs & UMN surveys in endometriosis
- Development of UMN surveys in other conditions
- Identification of needs from qualitative evidence

Databases: Medline, PubMed, PsychINFO, CINAHL Search term examples:

- Endometriosis
- Unmet needs, needs assessment
- Patient-reported outcome measure, quality of life
- Qualitative, focus groups, interviews

2148 records identified 936 after deduplication 254 records screened 113 records included

PROMs in endometriosis(n=65)

Female Sexual Function Index

 Generic PROMs in endometriosis (n=55)


Medical Outcomes Study Short Form 36

Beck Depression Inventory

Beck Anxiety Inventory

Body Attitude Test

 Diseasespecific
PROMs in endometriosis (n=10)



 Diseasespecific PROMs that address needs (n=2)


Unnamed Survey, Cox et al¹

Dutch Endometriosis Society Survey²

- 1. Cox H, Ski CF, Wood R, Sheahan M. Intl journal of consumer studies, 2003;27(3)
- 2. Roos-Eysbouts Y, De Bie-Rocks B, Van Dijk J, Nap AW. Gynecol Obstet Invest. 2015;79(4)

UMNs in other conditions(n=14)

UMNs in other conditions(n=14)



Qualitative evidence in endometriosis(n=31)

Qualitative evidence in endometriosis(n=31)

He actually said to me "I don't know this condition at all".

Young K, Fisher J, Kirkman M. Endometriosis and fertility: women's accounts of healthcare. Human Reproduction. 2016;31(3):554-62.

"The first one was too quick to say it was women's problems, and the second didn't know what she was looking for and when she suggested a strained muscle I nearly fell off the chair laughing."

Young K, Fisher J, Kirkman M. Endometriosis and fertility: women's accounts of healthcare. Human Reproduction. 2016;31(3):554-62.

"To be honest I don't think he knew very much, but he was very nice and he did go and read all about it."

Young K, Fisher J, Kirkman M. Endometriosis and fertility: women's accounts of healthcare. Human Reproduction. 2016;31(3):554-62.



PHASE 1

Literature review

Working group

Qualitative research

Survey development

PHASE 2

Stakeholder engagement

Pilot survey


Psychometric validation

PHASE 3

Release of EndoNeeds survey

Research Question:

"What are the physical, psychological and social needs of women with endometriosis?"



Research Aim:

To explore the needs of women with endometriosis through focus group discussion


Sampling

Experience:

- Variable pain and infertility symptoms
- New diagnosis
- Varying parity
- Varying treatments
- Range of ages

Eligibility criteria:

- 18 or over
- Surgical diagnosis of endometriosis
- English-speaking
- Able to attend focus group at RWH



Research implications

- First unmet needs survey for this population
- Potential uses of instrument:
 - Individual level
 - Health service level
 - Health system level









- Dr Jane Girling
- Dr Michelle Peate
- Dr Martin Healey
- Dr Uri Dior
- Dr Charlotte Reddington
- Dr Angela Chia
- Dr Karin Jones
- Dr Vanessa Ross
- Dr John McBain
- Dr Christina Bryant
- Lora Adamson
- Anne-Florence Plante
- Consumer members






Questions?




emma.steele@uom.edu.au @emsteele1





Data analysis



^{1.} Glaser, BG and Strauss, AL, The discovery of grounded theory; strategies for qualitative research. Observations. 1967: Chigago, Aldine Pub Co.

Concept 1 - PROMs in endometriosis:

exp Endometriosis AND ("health-related quality of life" or HR-QOL or "quality of life" or "patient reported outcome*" or "patient satisfaction" or "screening tool*" or "psychometric measure"

or wellbeing or psychosocial or survey* or questionnaire* or measure*

or instrument* or experience)

Concept 2 – UMNs in endometriosis:

exp Endometriosis AND ("unmet need*" or "needs assessment tool*"

or "needs assessment*" or "health care need*" or "supportive care need*"

or survey* or questionnaire* or measure*)

Concept 3 – UMNs in other health conditions:

(cancer or "heart failure" or stroke or "chronic health" or "mental illness") AND ("unmet need*" or "needs assessment tool*"

or "needs assessment*" or "health care need*" or "supportive care need*"

or survey* or questionnaire* or measure*)

Concept 4 – Qualitative research in endometriosis:

endometriosis AND (experience or satisfaction or perception)

AND (qualitative or interview or "focus group*")