


Medical termination of pregnancy (MToP) in the Victorian rural context

Dr Alana Hulme Chambers

Centre for Excellence in Rural Sexual Health Department of Rural Health www.cersh.com.au



Centre for Excellence in Rural Sexual Health



Staff: 5.6 EFT

Covering:

22 local government areas

~629,000 persons

This presentation



MToP in the Victorian context



How rural MToP service expansion has happened



Current MToP service delivery in rural Victoria



What we have learned about rural MToP service delivery



Considerations for further rural MToP service evolution



MToP timeline: rural Victoria

2008 2012 2013 2014 2015 2016-17 2018

Victorian Abortion Law Reform

Act passed, up to 24

weeks

Mifepristone, misoprostol approved for use in Australia Mifepristone, misoprostol added to PBS

Rural Vic workforce training & PD: RWH, FPV.

RWH & CERSH FCC, CERSH

dialogue: decentralisation of MToP MToP service provision commenced in rural Vic

Three CERSH
MToP
research
projects were
undertaken

Studies (1) and (2) published.

Study (3) under review

Rural Vic workforce training & PD: RWH & CERSH



Understanding MToP service delivery



Aim: Describe nurse-led rural MToP service. Investigate characteristics and contraceptive choices of service users Descriptive study and retrospective chart audit



Aim: Understand rural women's experiences in obtaining MToP through a rural primary health service Qualitative study



Aim: Assess the factors that influenced geographic decentralisation of MToP in rural Victoria

Impact evaluation



Study I: Providing accessible medical abortion services in a Victorian rural community: A description and audit of service delivery and contraception follow up

Jane E Tomnay, Lauren Coelli, Ange Davidson, Alana Hulme-Chambers, Catherine Orr, Jane S Hocking Sexual & Reproductive Healthcare 16 (2018) 175-180



Key points

- 223 women. Median age: 25 years
- 172 (75.1%) had a successful MToP
- For 171 (75%), this was their first termination
- No adverse events recorded during the study period
- Most were not using an effective contraception at time of unintended pregnancy but almost ¾ were using hormonal contraception post presentation to clinic

Study 2: Australian women's experiences of a rural medical termination of pregnancy service: A qualitative study

Alana Hulme-Chambers, Meredith Temple-Smith, Ange Davidson, Lauren Coelli, Catherine Orr, Jane E Tomnay



Sexual & Reproductive Healthcare 15 (2018) 23-27

- 59 women agreed to be contacted and 18 participated
- Median age 25 years
- Women's experience of accessing MToP through a rural nurse-led clinic were overall very positive
- However, other aspects of the process were described as stigmatising and difficult by some women



What we have learned



Rural MToP services are well utilised and acceptable



Adverse events are few (and systems are in place if required)



What we have learned




Rural MToP services counter some structural inequities



Stigma is present for both rural service providers and women



What we have learned



Rural MToP decentralisation can be dynamic and rapid




Rural MToP service provision is disjointed and inconsistent







Victorian Rural Clinical Network for Unintended Pregnancy and Abortion



MToP learning modules online: www.cersh.com.au




Sustaining the rural sexual and reproductive health workforce research

Future considerations



Sustainability: rural MToP service demand and supply issues



Replication: understanding new service system configurations



Acknowledgments

- Royal Women's Hospital: Dr Paddy Moore
- Gateway Health: Dr Catherine Orr, Ms Lauren Coelli, Ms Ange Davidson
- CERSH: Associate Professor Jane Tomnay, Ms Kylie Stephens
- The University of Melbourne academic colleagues: Professor Meredith
- Temple-Smith, Professor Jane Hocking
- Family Planning Victoria
- Fertility Control Clinic: Dr Susie Allanson
- Research participants: rural GPs, nurses, service users





Thank you